Using Model-Theoretic Invariants for Semantic Integration

Michael Gruninger NIST / Institute for Systems Research University of Maryland




maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate mation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis l	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE AUG 2004	A DEPORT TYPE			3. DATES COVERED 00-00-2004 to 00-00-2004		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Using Model-Theoretic Invariants for Semantic Integration				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Institute of Standards and Technology (NIST),Manufacturing Engineering Laboratory,100 Bureau Dr,Gaithersburg,MD,20899 8. PERFORMING ORGANIZATION REPORT NUMBER						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
	otes 2004 Performance I on August 24-26 20	_	nt Systems Work	shop (PerMI	S ?04),	
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 14	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188

Interoperability



Semantic Translation


Translation definitions specify the mappings between PSL and application ontologies.

Example: The *AtomicProcess* in OWL-S maps to the activity concept in PSL only if the activity is atomic and its preconditions and effects depend only on the state prior to the occurrences of the activity.

```
(forall (?a)
              (AtomicProcess ?a)
       (iff
                      (atomic ?a)
               (and
                      (markov_precond ?a)
                      (markov_effects ?a))))
```




Semantic Interchange Protocols





 What are sufficient conditions for an ontology to support this approach to semantic integration?

Verified Ontologies




- The meaning of terms in the ontology is characterized by models for first-order logic.
- The ontology provides a first-order axiomatization of the class of models

Definitional Extensions

- Preserving semantics is equivalent to preserving models of the axioms.
 - preserving models = isomorphism
- We classify models by using invariants (properties of models that are preserved by isomorphism).
 - automorphism groups, endomorphism semigroups
- Classes of activities and objects are specified using these invariants.



Models in PSL



- Occurrence trees
- Fluents (state)
- Activity trees

Twenty Questions

How can we generate translation definitions?

- Each invariant from the classification of models corresponds to a different question.
- Any particular activity or object will have a unique value for the invariant.
- Each possible answer to a question corresponds to a different value for the invariant.



Limitations

- Not all theories have complete sets of invariants
- Invariants may not be first-order definable
- How do we determine the correctness of the translation definitions?

Interoperability Hypothesis

 We are considering interoperability among complete first-order inference engines that exchange first-order sentences.

- Why first-order logic?
 - Soundness and completeness guarantees that a sentence is provable from a theory if and only if it is satisfied in all models of the theory.

Ontological Stance



$$\Sigma$$
 \cup Ontology \models Φ

Summary

- The meaning of terms in the ontology is characterized by models for first-order logic.
- The PSL Ontology has a first-order axiomatization of the class of models.
- Identify invariants of the models
- By axiomatizing these invariants, translation definitions can be shown to preserve semantics between software applications.

Further Questions?

Michael Gruninger gruning@nist.gov (301) 975-6536

http://www.nist.gov/psl



